

List of Proprietary Treatment Products For On-site Wastewater Systems in Arizona

Policy: Subject to Notes 1, 2 and 3 on page 5 of 5, the following proprietary on-site wastewater treatment products are deemed to comply with the technology definition and treatment performance criteria specified in 18 A.A.C. 9, Article 3, for Type 4 General Aquifer Protection Permits for on-site wastewater treatment facilities.

Manufacturer	Model	Design Flow (gpd)	Applicable Rule	Deemed to Comply with Rule for System Definition and Treatment Performance (Note 1)	Comments
Bio-Microbics	MicroFast 0.5	500	R18-9-E315	Yes	Requires Treatment Tank per Manufacturer's Specification
Bio-Microbics	MicroFast 0.75	750	R18-9-E315	Yes	Requires Treatment Tank per Manufacturer's Specification
Bio-Microbics	MicroFast 0.9	900	R18-9-E315	Yes	Requires Treatment Tank per Manufacturer's Specification
Bio-Microbics	MicroFast 1.5	1500	R18-9-E315	Yes	Requires Treatment Tank per Manufacturer's Specification
Chromaglas	CA-12	1200	R18-9-E321	Yes	To serve commercial, institutional, multi family dwelling, park facilities. Not for individual dwelling use.
Chromaglas	CA-15	1500	R18-9-E321	Yes	To serve commercial, institutional, multi family dwelling, park facilities. Not for individual dwelling use.
Chromaglas	CA-25	2500	R18-9-E321	Yes	To serve commercial, institutional, multi family dwelling, park facilities. Not for individual dwelling use.
Chromaglas	CA-30	3000	R18-9-E321	Yes	To serve commercial, institutional, multi family dwelling, park facilities. Not for individual dwelling use.
Eljen	Type "B" In-Drain	Note 2	R18-9-E309	Yes	Requires pretreatment per R18-9-E309(A)
EcoFlow	Peat Biofilter	Note 3	R18-9-E311	Yes	Requires pretreatment per R18-9-E311(A)
Puraflow	Peat Biofilter	Note 3	R18-9-E311	Yes	Requires pretreatment per R18-9-E311(A)

MicroSepTec	Enviroserver ENFG 600	600	R18-9-E315	Yes	Includes solids handling and disposal equipment
MicroSepTec	Enviroserver ENFG 1200	1200	R18-9-E315	Yes	Equipped per NSF Test Report
MicroSepTec	Enviroserver ENFG 1500	1500	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	500N	500	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	500NC	500	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	600N	600	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	600NC	600	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	750N	750	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	750NC	750	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	1000N	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	1000NC	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Clearstream Wastewater Systems	1500N	1500	R18-9-E315	Yes	Equipped per NSF Test Report

Clearstream Wastewater Systems	1500NC	1500	R18-9-E315	Yes	Equipped per NSF Test Report
Hydro-Action	AP-500	500	R18-9-E315	Yes	Equipped per NSF Test Report
Hydro-Action	AP-600	600	R18-9-E315	Yes	Equipped per NSF Test Report
Hydro-Action	AP-750	750	R18-9-E315	Yes	Equipped per NSF Test Report
Hydro-Action	AP-900	900	R18-9-E315	Yes	Equipped per NSF Test Report
Hydro-Action	AP-1000	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Hydro-Action	AP-1500	1500	R18-9-E315	Yes	Equipped per NSF Test Report
Delta Environmental Products	DF-40	400	R18-9-E315	Yes	Equipped per NSF Test Report
Delta Environ. Products	DF-50	500	R18-9-E315	Yes	Equipped per NSF Test Report
Delta Environ. Products	DF-60	600	R18-9-E315	Yes	Equipped per NSF Test Report
Delta Environ. Products	DF-75	750	R18-9-E315	Yes	Equipped per NSF Test Report
Delta Environ. Products	DF-100	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Delta Environ. Products	DF-150	1500	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Multi-Flo FTB 0.5	500	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Multi-Flo FTB 0.6	600	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Multi-Flo FTB 0.6C	600	R18-9-E315	Yes	Equipped per NSF Test Report

Consolidated Treatment Systems	Multi-Flo FTB 0.75	750	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Multi-Flo FTB 1.0	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Multi-Flo FTB 1.0-C	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Multi-Flo FTB 1.5	1500	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Nyadic M-6A	500	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Nyadic M-8A	600	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Nyadic M-1050A	800	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Nyadic M-1200A	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Consolidated Treatment Systems	Nyadic M-2000A	1500	R18-9-E315	Yes	Equipped per NSF Test Report
H. E. Mc Grew	Mighty Mac 500	500	R18-9-E315	Yes	Equipped per NSF Test Report
H. E. Mc Grew	Mighty Mac 600	600	R18-9-E315	Yes	Equipped per NSF Test Report
H. E. Mc Grew	Mighty Mac 750	750	R18-9-E315	Yes	Equipped per NSF Test Report
Hoot Aerobic Systems	H-500A	500	R18-9-E315	Yes	Equipped per NSF Test Report
Hoot Aerobic Systems	H-600A	600	R18-9-E315	Yes	Equipped per NSF Test Report

Hoot Aerobic Systems	H-750A	750	R18-9-E315	Yes	Equipped per NSF Test Report
Hoot Aerobic Systems	H-1000A	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Jet	J-500	500	R18-9-E315	Yes	Equipped per NSF Test Report
Jet	J-600	600	R18-9-E315	Yes	Equipped per NSF Test Report
Jet	J-750	750	R18-9-E315	Yes	Equipped per NSF Test Report
Jet	J-1000	1000	R18-9-E315	Yes	Equipped per NSF Test Report
Jet	J-1250	1250	R18-9-E315	Yes	Equipped per NSF Test Report
Jet	J-00	1250	R18-9-E315	Yes	Equipped per NSF Test Report
Orenco	Advan Tex AX20N	600	R18-9-E312	Yes	Equipped per NSF Test Report
Orenco	Advan Tex AX15-2N	800	R18-9-E312	Yes	Equipped per NSF Test Report
Orenco	Advan Tex AX20-2N	1000	R18-9-E312	Yes	Equipped per NSF Test Report
Orenco	Advan Tex AX15-3N	1200	R18-9-E312	Yes	Equipped per NSF Test Report
Orenco	Advan Tex AX20-3N	1500	R18-9-E312	Yes	Equipped per NSF Test Report

NOTES:

1 - Listings are based on raw wastewater strength of not more than 380 mg/l five day BOD, 430 mg/l TSS and 75 mg/l fats, oils, and greases. Treatment performance for Total Nitrogen may require additional documentation.

2 - Dependent on installation configuration and site conditions.

3 - Subject to module size and R18-9-E311(D)(2)(e).